

---

# django-ultimatethumb

unknown

Sep 29, 2021



# CONTENTS

<b>1</b>	<b>Requirements</b>	<b>3</b>
<b>2</b>	<b>Prepare for development</b>	<b>5</b>
<b>3</b>	<b>Resources</b>	<b>7</b>
3.1	Installation . . . . .	7
3.2	Usage . . . . .	8
3.3	Changelog . . . . .	9
3.4	API Reference . . . . .	11
<b>4</b>	<b>Indices and tables</b>	<b>15</b>
	<b>Python Module Index</b>	<b>17</b>
	<b>Index</b>	<b>19</b>



*django-ultimatethumb* is another Django library for generating thumbnails but has some advantages:

- Thumbnails are not generated when the `templatetag` is called. Instead, images are generated on demand when they are requested by the browser. This can lead to a major speedup of your page response times.
- Thumbnails can be generated from static files too (for example to downscale retina-optimized images and therefore reducing traffic).
- Generate multiple thumbnail sizes at once for use in *picture* html tags with multiple sources (e.g. with media queries).



## **REQUIREMENTS**

django-ultimatethumb supports Python 3 only and requires at least Django 1.11.





## PREPARE FOR DEVELOPMENT

A Python 3.6 interpreter is required in addition to pipenv.

```
$ poetry install
```

Now you're ready to run the tests:

```
$ make tests
```



## RESOURCES

- [Documentation](#)
- [Bug Tracker](#)
- [Code](#)

Contents:

### 3.1 Installation

To install *django-ultimatethumb* just use your preferred Python package installer:

```
$ pip install django-ultimatethumb
```

Add some stuff to your Django settings

```
INSTALLED_APPS = (  
    # some other apps  
    'ultimatethumb',  
)  
  
# This is the path where the generated thumbnail files are cached.  
ULTIMATETHUMB_ROOT = '/filesystem/path/to/thumbnails/'  
# This is the base url for your thumbnails  
ULTIMATETHUMB_URL = '/thumbnails/'
```

Next, add the *django-ultimatethumb* urls to your `urls.py`

```
urlpatterns += patterns(  
    '',  
    url(  
        r'^{0}/'.format(settings.ULTIMATETHUMB_URL.strip('/')),  
        include('ultimatethumb.urls')  
    ),
```

---

**Hint:** You can use the `ULTIMATETHUMB_URL` setting in your `urls.py` to make sure that the urls are in sync.

---

## 3.2 Usage

To use *django-ultimatethumb* in your templates, just load the templatetags and call the `ultimatethumb` tag with proper parameters:

```
{% load ultimatethumb_tags %}
{% ultimatethumb 'mythumb' mymodel.imagefield.name sizes='200x0,400x0' %}
<picture>
{% for source in mythumb %}
  <source
    srcset="{{ source.url_2x }}" 2x, "{{ source.url }}" 1x"
    {% if not forloop.last %}media="(max-width: {{ source.viewport.width }}px)"{% _
↪endif %}
  />
  {% if forloop.last %}{% endif %}
{% endfor %}
</picture>
```

This gives you a full-featured picture tag including multiple sources with media queries for different browser sizes and also provides retina images.

You can also use *django-ultimatethumb* in a much simpler way:

```
{% load ultimatethumb_tags %}
{% ultimatethumb 'mythumb' mymodel.imagefield.name sizes='400x0' %}

```

To resize static images, just prefix the path with `static:`, for example:

```
{% load ultimatethumb_tags %}
{% ultimatethumb 'mythumb' 'static:img/logo.jpg' sizes='400x0' %}

```

There are many other options/parameters to pass to the templatetag. Please refer to the codebase until the documentation is more complete.

You can also pass the viewport size in addition to the requested thumbnail size:

```
{% load ultimatethumb_tags %}
{% ultimatethumb 'mythumb' 'static:img/logo.jpg' sizes='400x0:600x0' %}

```

This will set the `thumbnail.viewport.width` to 600.

If you want to save some characters, you might short cut the sizes by leaving out the “x0” for the auto’ed dimension.

```
{% load ultimatethumb_tags %}
{% ultimatethumb 'mythumb' 'static:img/logo.jpg' sizes='400:600' %}

```

The sizes are now the same as if you would use `sizes='400x0,600x0'`.

### 3.2.1 Options

You can pass some options to the thumbnail tag:

- `upscale`: Configures if the input should be upscaled if requested sizes are larger than source.
- `retina`: Option to enable retina support (by providing both `url` and `url_2x`)
- `crop`: Decide if images should be cropped if requested sizes doesn't fit source aspect ratio.
- `quality`: Configures quality for image compression
- `pngquant`: Configures the pngquant compression factor

---

**Hint:** The `crop` option can be set to `True` for default gravity when cropping (which is `Center`). You can also pass valid GraphicsMagick gravities (`North`, `NorthEast`, `East`, `SouthEast`, ...) or their abbreviation (`N`, `NE`, `E`, `SE`, ...)

---

## 3.3 Changelog

### 3.3.1 1.2.0 - 2021-09-28

- Added support for Django 3.0, 3.1, 3.2
- Dropped support for Django < 2.2
- Added Black formatting
- Moved to poetry

### 3.3.2 1.1.0 - 2019-03-19

- Improve performance when using static files as source (use `stored_name` instead of `hashed_name` to get the path)

### 3.3.3 1.0.0 - 2018-08-08

- Removed barbeque dependency, now used `python-command-executor`
- Dropped support for Django < 1.11
- Dropped support for Python 2
- Moved to pipenv based development

### 3.3.4 0.8.0 - 2017-12-05

- Add support for base64 output of thumbnails

### 3.3.5 0.7.0 - 2017-11-03

- Fixed thumbnail size when cropping with exact target sizes
- Added support for Django 1.11

### 3.3.6 0.6.0 - 2017-07-31

- Added viewport support to pass viewport max-width/max-height in addition to size
- Added support for crop gravity (“crop” now accepts True (fallback to “Center”) or a gravity orientation according to the GraphicsMagick documentation)

### 3.3.7 0.5.0 - 2017-02-14

- Fix bug when using static: sources in DEBUG=False and not using django-compressor
- Drop support for Django <1.8

### 3.3.8 0.4.1 - 2016-05-04

- Added support for Django 1.9

### 3.3.9 0.3.0 - 2015-11-03

- Added pngquant support
- Bugfix for retina / factor2x mode
- Improved option passing in templatetag.

### 3.3.10 0.2.0 - 2015-10-20

- Added domain support to allow serving of thumbnails from a different domain
- Fixed handling of staticfiles when using CachedStaticFilesStorage
- Bugfix for path quoting
- Added Django 1.8 support

### 3.3.11 0.1.0 - 2015-03-24

- Initial release.

Api documentation:

## 3.4 API Reference

### 3.4.1 Storage module

**class** `ultimatethumb.storage.ThumbnailFileSystemStorage(*args, **kwargs)`

Bases: `django.core.files.storage.FileSystemStorage`

Extended `FileSystemStorage` from Django which uses `ULTIMATETHUMB_*` settings to initialize storage backend.

This storage is used to handle the generated files.

**class** `ultimatethumb.storage.ThumbnailStorage`

Bases: `django.utils.functional.LazyObject`

Lazy class to defer the initialization of the `thumbnail_storage` to give settings a chance to override the used storage backend.

### 3.4.2 Templatetags module

`ultimatethumb.templatetags.ultimatethumb_tags.ultimatethumb(context, as_var, source, sizes=None, upscale=False, crop=None, retina=True, quality=None, pngquant=None)`

Main template tag to generate thumbnail sourcesets.

### 3.4.3 Thumbnail module

**class** `ultimatethumb.thumbnail.Size(width, height)`

Bases: `tuple`

**height**

Alias for field number 1

**width**

Alias for field number 0

**class** `ultimatethumb.thumbnail.ThumbnailSet(source, sizes, options)`

Bases: `object`

A `ThumbnailSet` holds the source configuration and a number of thumbnails as requested.

**\_\_init\_\_**(*source, sizes, options*)

Takes a valid source and a list of requested sizes together with additional options.

**thumbnails**

The `thumbnails` property returns a list of available thumbnails.

**get\_source\_size**()

Returns the file size of the source.

If `retina` option is enabled, pretend that the source is half as large as it is. We do this to ensure that we have “retina” images which effectively are doubled in size. Doing this, we never have to upscale the image.

**get\_sizes**()

Parse the given sizes and return a list of size requests.

**get\_thumbnails()**

Returns a list of thumbnails based on the requested sizes. Some additional calculations are done to make sure we don't return thumbnails larger than the source file is.

**class** ultimatethumb.thumbnail.Thumbnail(*source, opts*)

Bases: `object`

This object represents a single thumbnail.

**\_\_init\_\_(*source, opts*)**

Given a source and options, this method initializes the Thumbnail object. Some validation on the provided options are done.

**classmethod from\_name(*name*)**

Using a name, reconstruct a thumbnail object. The name is actually a cache key which is used by `get_thumb_data` to fetch the original thumbnail configuration.

**get\_name()**

Generate the thumbnail name for the current thumbnail configuration.

**size**

The size property returns the calculated, estimated thumbnail size without actually generating the thumbnail image.

**viewport**

Returns the valid viewport for this thumbnail, might be used in templates to configure the source sets properly.

**property url**

The url property is responsible for returning the actual thumbnail url.

**property url\_2x**

Returns the retina url for the thumbnail if retina is enabled.

**property base64**

Returns the base64 representation of the thumbnail to use in a src attribute.

**property requested\_size**

Returns the requested thumbnail size.

**exists(*factor=1*)**

Checks if the thumbnail already exists.

**get\_mimetype()**

Returns the mime type of the thumbnail based on the thumbnail file name.

**get\_storage\_url(*factor=1*)**

Returns the real url to use in the ultimatethumb view for returning the image.

**get\_storage\_path(*factor=1, generate=True*)**

Returns the storage path in filesystem of the thumbnail file.

**get\_size(*factor=1*)**

Returns the actual generated thumbnail image size.

**get\_estimated\_size()**

Calculates the estimated thumbnail image dimensions based on the source size and the options provided.

**get\_storage\_name(*factor=1, suffix=None*)**

Returns the name to use when storing the thumbnail to disk.

**generate(*factor=1*)**

Generate the thumbnail using Graphicsmagick and Pngquant (if enabled and source image is a png file).



**get\_gm\_options**(*factor=1*)

Generates the option set for Graphicsmagick to generate the thumbnail.

**get\_base64\_content**()

Reads the base64 version of the thumbnail from disk and returns content.

**get\_base64\_path**(*generate=True*)

Calculates the path of the base64 image version. If path does not exist, base64 version is generated.

**generate\_base64**()

Generate the base64 representation from the generated thumbnail image file.

### 3.4.4 Utils module

`ultimatethumb.utils.get_cache_key`(*key*)

Generates a prefixed cache-key for ultimatethumb.

`ultimatethumb.utils.get_thumb_name`(*source, \*\*options*)

Builds the thumbnail name and uses the name to store the source and options to cache.

`ultimatethumb.utils.get_thumb_data`(*thumb\_name*)

Uses the thumbnail name and fetches the source and options from cache.

`ultimatethumb.utils.parse_source`(*source*)

Parse and lookup the file system path for a given source. The function understands both media names and static names (if prefixed with "static:")

`ultimatethumb.utils.parse_sizes`(*value*)

Parses and returns a list of thumbnail sizes.

`ultimatethumb.utils.factor_size`(*value, factor*)

Factors the given thumbnail size. Understands both absolute dimensions and percentages.

`ultimatethumb.utils.get_size_for_path`(*path*)

Gets the image size for a given path. If the path does not exist, the call will fail loudly with e.g. OSError exception.

`ultimatethumb.utils.get_domain_url`(*url*)

Returns the given url prefixed with a domain if configured in settings.

`ultimatethumb.utils.build_url`(*name, factor=1*)

Build the actual url for a given name and factor.

**class** `ultimatethumb.utils.MoveableNamedTemporaryFile`(*name*)

Bases: `object`

`chunks`()

`close`()

`temporary_file_path`()

### 3.4.5 Views module

**class** ultimatethumb.views.**ThumbnailView**(\*\*kwargs)

Bases: `django.views.generic.base.View`

ThumbnailView is used to provide the thumbnails to the browser.

We don't use a serve static view because we need to check if the requested thumbnail is available - and if not: generate one.

The view supports the X-Accel-Redirect header supported by Nginx to not really serve the binary (enabled by default if DEBUG is False).

**get**(\*args, \*\*kwargs)

Fetch and return the thumbnail response.

**get\_thumbnail**()

Try to fetch the thumbnail based on the thumbnail name. Might fail if cache resets between generation of the thumbnail urls and fetching of the images.

**get\_factor**()

Get factor from url.

**render\_thumbnail**(thumbnail, factor)

Generate the http response for the requested thumbnail. The code is able response with 304 if the thumbnail was already requested.

Supports X-Accel-Redirect, enabled by default if DEBUG is False.

## INDICES AND TABLES

- [genindex](#)
- [modindex](#)
- [search](#)



## PYTHON MODULE INDEX

### U

`ultimatethumb.storage`, 11  
`ultimatethumb.templatetags`, 11  
`ultimatethumb.templatetags.ultimatethumb_tags`,  
11  
`ultimatethumb.thumbnail`, 11  
`ultimatethumb.utils`, 13  
`ultimatethumb.views`, 14



## Symbols

`__init__()` (*ultimatethumb.thumbnail.Thumbnail* method), 12

`__init__()` (*ultimatethumb.thumbnail.ThumbnailSet* method), 11

## B

`base64` (*ultimatethumb.thumbnail.Thumbnail* property), 12

`build_url()` (in module *ultimatethumb.utils*), 13

## C

`chunks()` (*ultimatethumb.utils.MoveableNamedTemporaryFile* method), 13

`close()` (*ultimatethumb.utils.MoveableNamedTemporaryFile* method), 13

## E

`exists()` (*ultimatethumb.thumbnail.Thumbnail* method), 12

## F

`factor_size()` (in module *ultimatethumb.utils*), 13

`from_name()` (*ultimatethumb.thumbnail.Thumbnail* class method), 12

## G

`generate()` (*ultimatethumb.thumbnail.Thumbnail* method), 12

`generate_base64()` (*ultimatethumb.thumbnail.Thumbnail* method), 13

`get()` (*ultimatethumb.views.ThumbnailView* method), 14

`get_base64_content()` (*ultimatethumb.thumbnail.Thumbnail* method), 13

`get_base64_path()` (*ultimatethumb.thumbnail.Thumbnail* method), 13

`get_cache_key()` (in module *ultimatethumb.utils*), 13

`get_domain_url()` (in module *ultimatethumb.utils*), 13

`get_estimated_size()` (*ultimatethumb.thumbnail.Thumbnail* method), 12

`get_factor()` (*ultimatethumb.views.ThumbnailView* method), 14

`get_gm_options()` (*ultimatethumb.thumbnail.Thumbnail* method), 12

`get_mimetype()` (*ultimatethumb.thumbnail.Thumbnail* method), 12

`get_name()` (*ultimatethumb.thumbnail.Thumbnail* method), 12

`get_size()` (*ultimatethumb.thumbnail.Thumbnail* method), 12

`get_size_for_path()` (in module *ultimatethumb.utils*), 13

`get_sizes()` (*ultimatethumb.thumbnail.ThumbnailSet* method), 11

`get_source_size()` (*ultimatethumb.thumbnail.ThumbnailSet* method), 11

`get_storage_name()` (*ultimatethumb.thumbnail.Thumbnail* method), 12

`get_storage_path()` (*ultimatethumb.thumbnail.Thumbnail* method), 12

`get_storage_url()` (*ultimatethumb.thumbnail.Thumbnail* method), 12

`get_thumb_data()` (in module *ultimatethumb.utils*), 13

`get_thumb_name()` (in module *ultimatethumb.utils*), 13

`get_thumbnail()` (*ultimatethumb.views.ThumbnailView* method), 14

`get_thumbnails()` (*ultimatethumb.thumbnail.ThumbnailSet* method), 11

## H

`height` (*ultimatethumb.thumbnail.Size* attribute), 11

## M

module

ultimatethumb.storage, 11

ultimatethumb.templatetags, 11

ultimatethumb.templatetags.ultimatethumb\_tags,  
11

ultimatethumb.thumbnail, 11

ultimatethumb.utils, 13

ultimatethumb.views, 14

MoveableNamedTemporaryFile (class in *ultimatethumb.utils*), 13

## P

parse\_sizes() (in module *ultimatethumb.utils*), 13

parse\_source() (in module *ultimatethumb.utils*), 13

## R

render\_thumbnail() (ultimatethumb.views.ThumbnailView method), 14

requested\_size (ultimatethumb.thumbnail.Thumbnail property), 12

## S

Size (class in *ultimatethumb.thumbnail*), 11

size (ultimatethumb.thumbnail.Thumbnail attribute), 12

## T

temporary\_file\_path() (ultimatethumb.utils.MoveableNamedTemporaryFile method), 13

Thumbnail (class in *ultimatethumb.thumbnail*), 12

ThumbnailFileSystemStorage (class in *ultimatethumb.storage*), 11

thumbnails (ultimatethumb.thumbnail.ThumbnailSet attribute), 11

ThumbnailSet (class in *ultimatethumb.thumbnail*), 11

ThumbnailStorage (class in *ultimatethumb.storage*), 11

ThumbnailView (class in *ultimatethumb.views*), 14

## U

ultimatethumb() (in module *ultimatethumb.templatetags.ultimatethumb\_tags*), 11

ultimatethumb.storage  
module, 11

ultimatethumb.templatetags  
module, 11

ultimatethumb.templatetags.ultimatethumb\_tags  
module, 11

ultimatethumb.thumbnail  
module, 11

ultimatethumb.utils

module, 13

ultimatethumb.views  
module, 14

url (ultimatethumb.thumbnail.Thumbnail property), 12

url\_2x (ultimatethumb.thumbnail.Thumbnail property), 12

## V

viewport (ultimatethumb.thumbnail.Thumbnail attribute), 12

## W

width (ultimatethumb.thumbnail.Size attribute), 11